


6.3 CHASSIS WIRING HARNESS








The repair methods given by the manufacturer in this document are based on the technical specifications, current at the time of release. The methods may be modified as a result of changes introduced by the manufacturer in the production of the various component units and accessories from which the vehicles are manufactured. The reproduction, translation, transmission, in part or of the whole of the present document, are prohibited without the prior written consent of Mahindra & Mahindra Ltd. The use of this document by any person other than the trained personnel, at the Authorized Service Centre of Mahindra & Mahindra Ltd., will amount to unauthorized use and shall be liable for penalty/prosecution © 2018 Mahindra & Mahindra Ltd.

6.3.1 CHASSIS WIRING HARNESS CONNECTOR LIST







CONNECTOR NO.	DESCRIPTION	HARNESS	POLE	TYPE
C2	FUEL FEED PUMP	CHASSIS	4	C
C3	REAR COMBO LAMP RH	CHASSIS	6	C
C4	REAR COMBO LAMP LH	CHASSIS	6	C
C11	SEAT BELT SWITCH	CHASSIS	2	C
C12	PARK BRAKE SWITCH	CHASSIS	1	C
IC3	ENGINE TO CHASSIS	CHASSIS	14	IC
C - CONNECTOR, IC - INTER CONNECTOR				

6.3.2 CHASSIS WIRING HARNESS CONNECTOR LOCATION VIEW






6.3.3 CHASSIS WIRING HARNESS CONNECTOR FACE VIEW





6.4 CHASSIS GROUND CABLE




6.4.1 CHASSIS GROUND CABLE TERMINAL LIST

CONNECTOR NO.	DESCRIPTION	HARNESS	POLE	TYPE
G1	ENGINE BLOCK GROUND	CHASSIS GROUND	-	TER
G2	CHASSIS GROUND	CHASSIS GROUND	-	TER
TER - TERMINAL				


6.4.2 CHASSIS GROUND CABLE TERMINAL LOCATION VIEW



6.4.3 CHASSIS GROUND CABLE TERMINAL FACE VIEW






6.5 ROPS ACCESSORIES WIRING HARNESS






6.5.1 ROPS ACCESSORIES WIRING HARNESS CONNECTOR LIST

CONNECTOR NO.	DESCRIPTION	HARNESS	POLE	TYPE
A1	LED LIGHT BAR	ROPS	2	C
A2	SOUND BAR	ROPS	3	C
IC4	ROPS ACCESSORIES BODY SIDE	ROPS	6	IC
C - CONNECTOR, IC - INTER CONNECTOR				


6.5.2 ROPS ACCESSORIES WIRING HARNESS CONNECTOR LOCATION VIEW



6.5.3 ROPS ACCESSORIES WIRING HARNESS CONNECTOR FACE VIEW



6.6 BATTERY CABLE HARNESS











The repair methods given by the manufacturer in this document are based on the technical specifications, current at the time of release. The methods may be modified as a result of changes introduced by the manufacturer in the production of the various component units and accessories from which the vehicles are manufactured. The reproduction, translation, transmission, in part or of whole of the present document, are prohibited without the prior written consent of Mahindra & Mahindra Ltd. The use of this document by any person other than the trained personnel, at the Authorized Service Centre of Mahindra & Mahindra Ltd., will amount to unauthorized use and shall be liable for penalty/prosecution © 2018 Mahindra & Mahindra Ltd.



6.6.1 BATTERY CABLE HARNESS TERMINAL LIST

CONNECTOR NO.	DESCRIPTION	HARNESS	POLE	TYPE
P1	BATTERY POSITIVE	BATTERY CABLE	-	TER
P2	MAIN PDC B+	BATTERY CABLE	-	TER
P3	ALTERNATOR B+	BATTERY CABLE	-	TER
P4	INTAKE HEATER RELAY A1+	BATTERY CABLE	-	TER
P5	STARTER MOTOR	BATTERY CABLE	-	TER
P6	INTAKE HEATER RELAY A2	BATTERY CABLE	-	TER
P7	AIR INTAKE HEATER	BATTERY CABLE	-	TER
P11	BATTERY NEGATIVE	BATTERY CABLE	-	TER
P12	ENGINE BLOCK GROUND	BATTERY CABLE	-	TER
P13	BODY GROUND	BATTERY CABLE	-	TER
TER - TERMINAL				











6.6.2 BATTERY CABLE HARNESS TERMINAL LOCATION VIEW







6.6.3 BATTERY CABLE HARNESS TERMINAL FACE VIEW



7 COLOR CODES

PRIMARY COLOR CODE	
ABBREVIATION	COLOR
B	BLACK
BR	BROWN
CH	CHOCOLATE
DG	DARK GREEN
G	GREEN
L	BLUE
LG	LIGHT GREEN
O	ORANGE
P	PINK
R	RED
SB	SKY BLUE
V	VIOLET
W	WHITE
Y	YELLOW

GR	GREY	
LGR	LIGHT GREY	
NA	NATURAL	



Fluid Specifications and Quantities

Fluid Type	Fluid Specification	Fluid Quantity
Brake Fluid	SAE J1703 Dot 3	.95 Quarts (.90 Liters)
Engine Coolant	JIS K2234/ASTM D3306	8.5 Quarts (8.0 Liters)
Engine Oil	API CJ-4 5W/40 (Full Synthetic)	7.4 Quarts (7.0 Liters)
Front & Rear Axle Gear Lube	GL-5 SAE 80W-90	1.9 Quarts (1.8 Liters)
Leaf Spring Pivots	NLGI-3 (Multipurpose Lith- ium Grease)	As Required
Power Steering Fluid	DEXRON III/Mercon	.63 Quarts (.60 Liters)
Shift Linkage	Fluoropolymer Penetrating Lubricant or PTFE Lubricant	As Needed
Transfer Case Fluid	GL-4 SAE 80W90	1.7 Quarts (1.6 Liters)
Manual Trans. Fluid	GL-4 SAE 80W90	2.1 Quarts (2.0 Liters)
Automatic Trans. Fluid	DEXRON® VI	10.8 Quarts (10.2 Liters)
U-Joints	NLGI-2 (EP2 Lithium Soap Grease)	As Needed
Wheel Bearings	NLGI-2 (Lithium Complex Grease)	As Needed

Table taken from section 26.1 of the ROXOR Operator's Guide